\$110.00 for payment of the extension fee is enclosed. Please charge any additional fee required for the extension, and credit any overpayment, to Deposit Account 06-1205.

The Examiner is respectfully requested to amend the above-identified application as follows:

IN THE CLAIMS:

Please amend Claims 1, 18, 34-37, 40 and 41 as

(Twice Amended) An image display system capable of performing stereoscopic display, comprising:

stereoscopic image display means for displaying a stereoscopic image having stripe parallax images arranged for right and left eyes on a display screen;

window setting means for setting a window on a desired position of the display screen of [, on] said stereoscopic display means, [for displaying the] in which a stereoscopic image is displayed;

stereoscopic vision control means for controlling directivity of the stereoscopic image displayed on said stereoscopic image display means such that stripe images of the stereoscopic image are respectively observed with the right and left eyes; and

changing means for, when a relative positional relationship between the stereoscopic image displayed in said window set by said setting means and said stereoscopic vision control means is not a proper relationship with which an observer can obtain a proper stereoscopic vision, changing the relative positional relationship to realize a proper stereoscopic vision.

apparatus which can be connected to an image display apparatus having stereoscopic vision control means for controlling directivity of a stereoscopic image to allow an observer to observe stripe images of the stereoscopic image with right and left eyes [of the observer], respectively, comprising:

generation means for generating image data including a window to be located on a desired position of a display screen of said image display apparatus. [to display a stereoscopic image] in which stripe parallax images corresponding to the right and left eyes are arranged so as to display a stereoscopic image;

determination means for determining whether a relative positional relationship between the stereoscopic image displayed in the window generated by said generating means and said stereoscopic vision control means of said image display

- 3 -

apparatus is a proper positional relationship which allows a proper stereoscopic vision; and

adjustment means for, when <u>said window is</u>

<u>displayed on the screen and when</u> said determination means

determines that the relationship is not the proper relationship

which allows a proper stereoscopic vision, adjusting the relative

positional relationship to allow a proper stereoscopic vision.

information display system having stereoscopic image display means for displaying a stereoscopic image obtained by arranging stripe parallax images corresponding to the right and left eyes of an observer on a display screen and stereoscopic vision control means for controlling directivity of the stereoscopic image to allow the observer to observe stripe images of the stereoscopic image with right and left eyes, respectively, comprising:

setting a window on a desired position of the display screen of [, on] a stereoscopic image display, [for displaying] in which a stereoscopic image is displayed;

detecting a relative positional relationship between the stereoscopic image displayed in the window and the stereoscopic vision control means; and

when the relative positional relationship detected is not a proper relationship which allows a proper stereoscopic vision, changing the relative positional relationship to allow a proper stereoscopic vision.

35. (Twice Amended) A method of controlling an information processing apparatus which can be connected to an image display apparatus having stereoscopic vision control means for controlling directivity of a stereoscopic image obtained by arranging stripe parallax images corresponding to right and left eyes of an observer to allow the observer to observe stripe images of the stereoscopic image with right and left eyes, respectively, comprising:

generating image data including a window to be located on a desired position of a display screen of the image display apparatus, [to display a stereoscopic image] in which stripe parallax images corresponding to the right and left eyes are arranged to display a stereoscopic image;

determining whether a relative positional relationship between the <u>generated</u> stereoscopic image displayed in the window and the stereoscopic vision control means of the image display apparatus is a proper positional relationship which allows a proper stereoscopic vision; and

- 5 -

when the window is displayed on the screen and it is determined that the relationship is not the proper relationship which allows a proper stereoscopic vision, adjusting the relative positional relationship to allow a proper stereoscopic vision.

computer program for performing image display by using an image display apparatus having stereoscopic vision control means for controlling directivity of a stereoscopic image obtained by arranging stripe parallax images corresponding to right and left eyes of an observer to allow the observer to observe stripe images of the stereoscopic image with right and left eyes, respectively, said computer program comprising:

a code for generating image data including a window to be located on a desired position of a display screen of the image display apparatus, [to display a stereoscopic image] in which stripe parallax images corresponding to the right and left eyes are arranged to display a stereoscopic image;

a code for determining whether a relative positional relationship between [a] the generated stereoscopic image displayed in the window and [said] the stereoscopic vision control means of [said] the image display apparatus is a proper

- 6 -

positional relationship which allows a proper stereoscopic vision; and

6

5

a code for adjusting, when the window is displayed on the screen and it is determined that the relationship is not the proper relationship which allows a proper stereoscopic vision, the relative positional relationship to allow a proper stereoscopic vision.

84

37. (Amended) An image display system capable of performing stereoscopic display, comprising:

stereoscopic image display means for displaying a stereoscopic image having stripe parallax images arranged for right and left eyes;

stereoscopic vision control means for controlling directivity of the stereoscopic image displayed on said stereoscopic image display means such that stripe images of the stereoscopic image are respectively observed with the right and left eyes;

instruction means for instructing to display a new stereoscopic image on a desired position of said stereoscopic image display means; and

display control means for displaying the new stereoscopic image on said stereoscopic image display means so

that an observer can obtain a proper stereoscopic vision of the new stereoscopic image.

80

40. (Amended) The system according to claim [39]

38, wherein said display control means is executed after the window is opened and the new stereoscopic image displayed therein and/or after the window is moved.

display system having stereoscopic image display means for displaying a stereoscopic image having stripe parallax images arranged for right and left eyes and stereoscopic vision control means for controlling directivity of the stereoscopic image displayed on said stereoscopic image display means such that stripe images of the stereoscopic image are respectively observed with the right and left eyes, said method comprising the steps of:

instructing to display a new stereoscopic image on a desired position of the stereoscopic image display means; and

displaying the new stereoscopic image on the stereoscopic image display means so that an observer can obtain a proper stereoscopic vision of the new stereoscopic image.